

## Code Team PE Report Sheet



Date/Time \_\_\_\_\_

Patient \_\_\_\_\_ Room \_\_\_\_\_

Age/Sex \_\_\_\_\_ MRN \_\_\_\_\_

History: \_\_\_\_\_

### Current Labs



Treating Physician \_\_\_\_\_

PE Order Set ☐

|                |
|----------------|
| Lactate:       |
| BNP:           |
| ABG:           |
| INR/PT/PTT:    |
| Troponin:      |
| *PESI Score:   |
| **Shock Index: |

*\*\*Shock Index: (HR/SBP)*

*normal range = 0.5 to 0.7*

### Bedside Echo

|                 |  |
|-----------------|--|
| IVC             |  |
| RV Strain       |  |
| D sign          |  |
| Septal movement |  |
| LV              |  |

---TPA Dosage: 10 mg over 2 min; 40 mg over 2 hours

**PESI Score**

| variable                                   | Points awarded          | Description  |
|--|-------------------------|--|
| 1. Age of the patient                      | 1 per year              | The higher the age, the greater the mortality risk.                    |
| 2. Gender                                  | Male (20)<br>Female (0) | Men pose a higher risk of PE mortality and morbidity.                  |
| 3. Temperature <36°C / 96.8°F              | 20                      | Low body temperature is associated with impaired body heat regulation. |
| 4. Systolic blood pressure <100 mmHg       | 30                      | Decreased blood pressure as risk factor.                               |
| 5. Heart rate >110 bpm                     | 20                      | Pulse higher than 110 beats per minute even at rest.                   |
| 6. Respiratory rate >30 breaths per minute | 20                      | Increased respiratory rate even at rest.                               |
| 7. Arterial oxygen saturation below 90%    | 20                      | With or without supplemented oxygen.                                   |
| 8. History of chronic lung disease         | 10                      | Previous diagnosed pulmonary condition.                                |
| 9. History of heart failure                | 10                      | Previous diagnosed heart condition.                                    |
| 10. Alteration of mental status            | 60                      | Refers to loss of consciousness.                                       |
| 11. Malignancy                             | 30                      | History of malignancy, in treatment or palliative                      |

**Result Interpretation**

| PESI Score | Class | Mortality Risk | Probability |
|------------|-------|----------------|-------------|
| 0 - 65     | I     | Very low       | up to 1.6%  |
| 66 - 85    | II    | Low            | 1.7 - 3.5%  |
| 86 - 105   | III   | Moderate       | 3.2 - 7.1%  |
| 106 - 125  | IV    | High           | 4 - 11.4%   |
| >126       | V     | Very high      | 10 - 24.5%  |

**\*\*PESI score is a 30 day mortality predictor following PE**